

HÖFNER THE LEGENDARY

Höfner

Semi-Acoustic Basses

The most famous bass of all times with the original sound which altered the world.

With this super light bass Paul McCartney played many unforgettable songs of the "Beatles". A bass which today is still fascinating like in these old days.

	500/1	5000/1
Neck	Maple/ Rosewood fingerboard	Maple/ Ebony fingerboard
Dimensions	Scale: 76 cm, 22 frets, width of saddle: 40 mm	
Body	Spruce top, back and sides Angle	
Machine-heads	Single machine-heads, closed type	Schaller M6 gold
Hardware		
Finish	Chrome	Gold
Electrics	2 two-coil pickups, own development since 1955 unchanged, 1 volume and 1 tone control, for every pickup one on/off switch. Rhythm-Solo switch	
Strings	Höfner No. 1133PB round wire. For flat wire strings No. 1133B surcharge	
Fretboard	Brown shaded	natural



HÖFNER THE ALTERNATIVE

Höfner

Jazz Bass

We know your problem: "How can I transport my double-bass on trip?"

The nearest solution: Höfner Jazz Bass. Not only its easy handling is amazing. Also the playing without difficulties and the astonishing wide range of sound convince. For this the normal scale of bass and the sound-true system of pickup guarantee. In connection with an amplifier it is also possible to play in larger halls where an usual double-bass cannot stand anymore regarding the loudness.

So the Jazz Bass is not only a supplement to your usual double-bass but an independant instrument which gives you fully new musical possibilities.



Jazz Bass

Jazz Bass	
Neck	
Wood	Double-bass neck, maple, 3/4 size, for 5-string 20% surcharge
Fingerboard	Ebony with edge for bowing
Scale	104 cm = scale of 3/4 double-bass
Body	Sipo-mahogany, hollow with sustain block
Bridge	Maple, adjustable in height with 3 integrated pickups
Machine-heads	Double-bass machine-heads
Electrics	
Pickups	3 piezo-ceramic pickups which are clamped into the bridge
Controls	1 volume control, 1 tone control
Strings	Spiracore
Finish	Highly-polished black or satin natural finish
Added accessories	Adjustable super long end pin, support



NIGHTINGALE

Bei einer Halbresonanz ist das handwerkliche Können des Gitarrenbauers entscheidend: der durchgehende, massive Sustainblock sollte exakt der Decken- und Bodenwölbung angepaßt sein, um störende Resonanzen und damit «tote Stellen» auf dem Griffbrett von vornherein auszuschließen. Hier ist sorgfältige Handarbeit gefragt – mit maschineller Massenproduktion läßt sich diese Perfektion nicht erreichen.

Die elektrische Schaltung für die NIGHTINGALE wurde von Klaus Schöller entworfen und bietet bei einfachster Bedienung weit über das Übliche hinausreichende Regel- und Klangmöglichkeiten. Beide Humbucking-Tonabnehmer lassen sich durch je einen Lautstärke- und Tonregler beeinflussen. In der Stegposition reproduziert der Schaller «Golden 50» den warmen, singenden Sound der 50er Jahre, der sehr gut gewollte Rückkopplungen, nämlich das Überkippen in den jeweiligen Oberton, zuläßt. Der Halstonabnehmer ist wie zwei Single-Coil-Pickups – mit je sechs Alnico-Stabmagneten – aufgebaut. In der Stellung 1-9 des Klangreglers funktioniert dieser Tonabnehmer als Humbucker, in der Stellung 10 arbeitet nur noch eine Spule. Dadurch erhält man den typischen klaren, höhenreichen Single-Coil-Sound, bei dem das störende 50-Hz-Netzbrummen auch weiterhin unterdrückt bleibt. Desweiteren kann die NIGHTINGALE, wie die ALPHA, mono und stereo gespielt werden. In der Standard Version liefern wir die NIGHTINGALE schwarz hochglanz lackiert mit vergoldeten Schaller-Mechaniken, vergoldetem Schaller-Steg und Fine-Tuning-Saitenhalter.





NIGHTINGALE Custom

Die NIGHTINGALE wird ausschließlich in sorgfältiger Handarbeit gebaut. Nur so ist es uns möglich, auf Sonderwünsche einzugehen und viele davon sogar ohne Aufpreis zu realisieren.

Jedes Custom-Instrument wird nach den individuellen Vorstellun-

gen des Auftraggebers als Einzelstück angefertigt. Deshalb ist hier eine etwas längere Lieferzeit unumgänglich. Eine Linkshänderausführung der NIGHTINGALE ist ebenso erhältlich.

		NIGHTINGALE Standard-Ausführung	NIGHTINGALE Custom Mögliche Custom-Ausführungen, unter denen Sie individuell auswählen können	Bemerkungen
Hals	Hals	Bergahorn	Wir verwenden ausschließlich ausgesuchtes, luftgetrocknetes Tonholz.	
	Körper	Ahorn verleimt		
	Sustainblock	deutsche Fichte		
	Mensur	63 cm		
	Griffbrett-einlagen	Perlmutter-Blockeinlagen	Abalone-Punkteinlagen	
	Mechaniken	SCHALLER M 6	SCHALLER M 6 mit «crank»-Flügel	Im «crank»-Mechanikenflügel ist eine ausklappbare Kurbel zum schnelleren Saitenwechsel integriert
Bridge	Stegsystem	SCHALLER «STM» Bridge SCHALLER «FS» Saitenhalter mit Feinstimmern	KAHLER «Stud Mount» Vibrato-system mit Saitenklemmsatz	Das KAHLER «Stud Mount» kann durch unterschiedliche Federstärken auch sehr leichtgängig und feinfühlig eingestellt werden.
	Tonabnehmer	Steg (Bridge)-Position: HÖFNER '57 CLASSIC Hals (Neck)-Position: HÖFNER CUSTOM 12	Steg (Bridge)-Position: SEYMOUR DUNCAN «SH-3 The Mag» Hals (Neck)-Position: BARTOLINI «1C» OBL «900»	Der HÖFNER '57 CLASSIC reproduziert den warmen, obertonreichen Humbucking-Sound der Vintage-Instrumente der 50er Jahre. Dagegen klingen der OBL «900» wie auch der BARTOLINI «1C» höhenreich und transparenter.
	Regler	2 Lautstärkeregler 2 Tonregler	zusätzlicher Master-Volume-Regler (stereo)	Der zusätzliche Master-Volume-Regler ist vor allem in der Zwischenstellung des Tonabnehmer-Wahlschalters nutzbar; jetzt kann man mit den zwei Volumenegreglern das Lautstärkeverhältnis der beiden Tonabnehmer zueinander vorwählen und dann mit dem Master-Volume-Potentiometer gleichbleibend zurückregeln.
Finish	Hardware	vergoldet	• Schwarzchrom • Chrom	Chrom ist gegenüber Schwarzchrom und Gold die dauerhafteste Oberflächenvergütung für Metalleile.
	Lackierung des Körpers	hochglanz-schwarz	• bordeauxrot-sunburst • antique-sunburst • burgundrot • saphirblau-metallic	Weitere Sonderlackierungen sind möglich.

Karl Höfner GmbH + Co · Schönbacher Straße 56 · D-8526 Bubenreuth
Telefon (09131) 23044/45 · Telex 629923 hofbu d

Höfner

TRADITION
HAT ZUKUNFT

JAZZICA

Ohne Frage ist die JAZZICA eine der schönsten und elegantesten Jazzgitaren, die jemals gebaut wurden. Doch das gekügelte Design (von K. Schiller und J. Janus) bietet auch spielschräge und klangliche Vorteile:

- ▷ 24 frei bespielbare Bünde, denn das weit ausladende Cutaway und der nach oben versetzte Hals-Korpusübergang erlauben ein müheloses Spielen auch in den oberen Griffbrettlagen
- ▷ die konische Bauweise des Resonanz-Körpers ermöglicht einen voluminösen Grundsound, der allen klanglichen Anforderungen eines anspruchsvollen Jazzmusikers genügt.
- ▷ Die deutlich verminderte Rückkopplungsempfindlichkeit, auch bei relativ großen Lautstärken auf der Bühne, ist ein weiterer Vorteil dieses völlig neuen Korpusdesigns.
- ▷ der AZ Floating Neck Pickup, entwickelt von Attila Zoller, ist sensibel genug, um alle klanglichen Nuancen des Spiels zu übertragen.

Sich für Jazz-Musik zu entscheiden heißt meist, eine Leidenschaft für's ganze Leben gefunden zu haben. Ähnliche Übergangsfolgen zieht auch die Entscheidung für die JAZZICA nach sich.



Der AZ Floating Neck Pickup wird am Griffbrettende schwungend montiert, ohne die Gitarrendecke zu verletzen.

		JAZZICA
HOLZ	Holz	Bergahorn
	Griffbrett	Palisander
KORPUS	Mensur	64,4 cm
	Decke	Fichte
ELEKTR.	Boden/Zargen	Riegelschorn
	Zargenhöhe	konisch: 11,5 cm → 5,5 cm
FINISH	Tonabnehmer	AZ Floating Neck Pickup
	Regler	1 Lautstärkeregler 1 Tonausgleich
	Hardware	gold
	Lackierung	bordeauxrot - sunburst antiquebraun - sunburst turkisgrün - sunburst

Karl Höfner GmbH + Co
Schönbacher Str. 56 · D-8526 Bubeneck
Telefon (09131) 23044/45 · Telefax (09131) 24935



Die CHRYSLIS repräsentiert einen völlig neuen Typ einer Elektro-Akustik-Gitarre: konsequent sind die Anforderungen derjenigen Gitarristen realisiert worden, die in erster Linie live auf der Bühne spielen.

Gefragt ist hier ein voluminöser Grundsound, der jedoch in allen Frequenzen ausgewogen sein soll. Dies wird durch die massive Fichtendecke und die neuartige körnische Korpusform erreicht, wobei die Rückkopplungsempfindlichkeit deutlich vermindert werden konnte.


Ein weiterer Pluspunkt dieser Korpusbauweise ist der Hals-Korpusübergang am 16. Bund, was zusammen mit dem handgearbeiteten Halsprofil eine hervorragende Spielbarkeit auch in den hohen Lagen gewährleistet: das ist Spielkomfort, den man – wenn überhaupt – sonst nur bei einer Solidbody findet.

Die CHRYSLIS ist mit einem piezokeramischen Stegtonabnehmer und dem PASSAC ACOUSTIC EQUALIZER ausgerüstet.

Intem wird die Elektronik des PASSAC mit zwei Trimpotentiometern auf die Resonanzfrequenz des jeweiligen Instruments individuell abgestimmt. Damit schafft es der PASSAC, den ursprünglichen Klang der CHRYSLIS auch elektrisch verstärkt naturnah wiederzugeben.



CHRYSLIS



Die äußerst effektive Klangregelung (Lautstärke, Höhe/Bässe, Presencen) garantiert auch in schwierigen Aufnahmesituationen optimale Soundergebnisse.

CHRYSLIS		
	HALS	KORPUS
ELEKTRIK	Holz	Bergahorn
	Gitarrett	Palisander
	Mensur	64,4 cm
	Binden	24
FINISH	Decke	massiv Fichte
	Boden/Zangen	Riegelsahne
	Zargentöne	konisch 11,5 cm → 5,5 cm
	Tonabnehmer	in den Steg integriert
Vorverstärker		PASSAC ACOUSTIC EQUALIZER
Regler		Lautstärke Höhen/Bässe Presencen
Hardware		gold
Lackierungen		bordeauxrot - sunburst antikbraun - sunburst turkisgrün - sunburst

Karl Höfner GmbH + Co
Schönbacher Str. 56 - D-8526 Bubenreuth
Telefon (09131) 230 44/45 · Teletax (09131) 24935

Höfner

PERFEKTION
IN FUNKTION

"An instrument which is suited to every playing style and that can be used in almost every music style" – this was the aim of Attila Zoller in developing the AZ FUSION.

The AZ FUSION has the direct and fast response of tone typical for Jazz guitars, but its semi-acoustic construction widely eliminates the feedback usually occurring at high volumes with hollow-body constructions.

The solid spruce block running through the entire resonance body is carefully carved by hand to follow exactly the contours of the top and back of the instrument. This eliminates unwanted resonances and consequently dead spots on the fingerboard.



AZ FUSION

ATTILA ZOLLER FUSION

The AZ FUSION MIDI is equipped with the SHADOW pickup 1500 MU which can be played as a conventional humbucker or – via a stereo cable – can be connected to a SHADOW pitch-to-voltage converter. This enables the experimenting Jazz guitarist who is also searching for new sound expression to choose from all MIDI synthesizer sounds.



AZ FUSION MIDI

	AZ FUSION	AZ FUSION MIDI
Neck	Wood	natural seasoned rock maple
	Fingerboard	rosewood
Body	Dimensions	width at nut: 43 mm; scale: 64.4 cm
	Construction	solid spruce sustain block
	Top	spruce
	Back/Sides	famed maple
	Height of Sides	48 mm
Bridge	Pickups	bridge and neck position: AZ Humbucking Pickup bridge position: SHADOW 1500 MU neck position: AZ Humbucker
	Controls	2 volume controls 2 tone controls
Finish	Hardware	2 volume controls 1 synthesizer volume control 1 tone control
	Varnish	chrome, black chrome or gold
	Case	bordeauxred – sunburst antiquebrown – sunburst black

Höfner

INDIVIDUALITÄT
A B W E R K

Attila Zoller, one of today's most innovative Jazz guitarists, developed in conjunction with Höfner the AZ series.

These instruments are completely hand-crafted at Höfner, allowing our master craftsmen to select and promote the best tonal qualities of the wood in the fundamental stages: this creates perfection in sound with every individual instrument.


The AZ Floating Neck Pickup was also developed by Attila Zoller. This pickup is mounted at the end of the fingerboard, allowing the solid top of both the AZ SPECIAL and AZ AWARD to be untouched.

For the AZ AWARD the tone wood is specially selected. The ebony fingerboard and the ebony machine-head buttons, together with gold or black chrome hardware, enhance the exclusive finish of the AZ AWARD.



AZ AWARD

ATTILA ZOLLER SERIES



Attila Zoller



AZ SPECIAL

	AZ SPECIAL	AZ AWARD
Neck	Wood	natural seasoned rock maple
	Fingerboard	rosewood
	Dimensions	width at nut: 43 mm, scale: 64,4 cm
Body	Top	solid spruce
	Back/Sides	fumed maple
	Height of Sides	76 mm
Elec.	Pickup	AZ Floating Neck Pickup
	Controls	1 Volume, 1 Tone
	Hardware	chrome
Finish	Varnish	antiquebrown-sunburst black
	Case	59/15a
		nature bordoquerc-sunburst

Höfner

TRADITION
HAT ZUKUNFT

No other music style challenges a musician's creativity like Jazz. In turn, an instrument of high performance becomes an essential requirement of any serious musician wanting to convey his creative ability in its truest form.

The Jazz guitar, unlike any other, relies on the expert craftsmanship of the luthier: it should be sensitive enough to reproduce all nuances of the guitarist's playing. This cannot be achieved by machine mass production – but only by the skilled hands of the experienced master luthiers at Höfner.



470 E1


JAZZ GUITARS



470 E2



470: Inlays in the back



483 E2

Höfner

TRADITION
HAT ZUKUNFT

JAZZ GUITARS



457



457 E2



477 E2



477 E1 plus

	457	463	477	478
Neck	Wood	maple	maple	maple
	Fingerboard	rosewood	rosewood	ebony
	Dimensions	scale: 64 cm; width at saddle: 43 mm		
Body	Top	spruce	spruce	solid spruce
	Back/Sides	maple	maple	fanned maple
	Height of Sides	8 cm	8 cm	9 cm
Finish	Hardware	chrome	chrome	gold or black chrome
	Varnish of Body	natural antiqua brown surface	natural	natural classic sunburst
Avalible Pickup Equipment (optional extra)	E1	AZ Floating Neck Pickup, designed by Attila Zoller: This pickup is mounted at the end of the fingerboard to keep the top untouched. 1 volume control, 1 tone control.		
	E1 plus	In addition to the AZ Floating Pickup a piezoelectric pickup is integrated into the bridge. 1 volume control, 1 tone control, pickup selector switch.		
	E2	In the bridge and neck position two Höfner '57 CLASSIC Humbucking Pickups are mounted at the top. 2 volume controls, 2 tone controls, pickup selector switch		
Case	59/23-6	59/23-6	59/16a	59/16a
Bag	59/94	59/94	-	59/97 Neppy
Special Models	4570 as model 457, but with 5 cm high sides	-	457T as model 477, but with 5 cm high sides	4790 as model 478, but with 5 cm high sides

Karl Höfner GmbH + Co · Schönbacher Str. 56 · D-8526 Bubenreuth
Telephone (0 91 31) 2 30 44/45 - Fax (0 91 31) 2 49 35